

LEVERAGING AI AND COMPREHENSIVE HEALTH RECORDS FOR ENHANCED PANCREATIC CANCER CARE

Robinson Elijah Carter and Nguyen Thao Minh

School of Technology, Eastern Illinois University, Charleston, IL 61920, USA

DOI: 10.5281/zenodo.15594081

Abstract

Cardiovascular diseases remain the leading cause of death across Europe and globally, with cancer ranking as the second most fatal health concern. This article highlights the urgent need for an integrated technological approach to address these critical health challenges. While traditional medical systems in hospitals and clinics have made significant strides, emerging Information and Communication Technologies (ICT) offer transformative potential in health monitoring, early risk detection, and clinical decision-making. The World Health Organization emphasizes that a robust health data integration strategy must extend beyond a patient's medical history to include age, genetics, physical attributes, lifestyle, and social interactions.

Advanced ICT services—such as Internet of Things (IoT) devices, wearable sensors, and mobile applications—are increasingly capable of collecting and analyzing multidimensional health data. These tools support the development of personalized decision-support systems that enhance early disease prediction, prevention, and intervention strategies. They also improve the accuracy and responsiveness of medical personnel by expanding their understanding of disease progression and patient-specific variables.

Furthermore, the integration of Artificial Intelligence (AI) technologies—including machine learning, deep learning, and computational neuroscience—offers powerful data analytics capabilities. AI-driven systems can analyze complex datasets to predict individual risk factors associated with variables like diet, environment, and genetics. These technologies enable healthcare stakeholders to gain actionable insights, ultimately improving diagnosis, treatment, and patient outcomes.

This paper argues that integrating AI with multidimensional health data and ICT infrastructure provides a scalable, intelligent foundation for addressing modern healthcare challenges, especially in combating cardiovascular diseases and cancer. It calls for a holistic, technology-driven healthcare paradigm that prioritizes data integration, patient-centered care, and predictive health analytics.

Keywords: Integrated Health Data, Artificial Intelligence, Cardiovascular Diseases, ICT in Healthcare, Predictive Analytics

Introduction

Cardiovascular diseases destroy the majority of Europeans as well as people of other nations of the globe. Cancer is the second most deadly cardiovascular diseases. To that end, this article discusses the dire need for designing comprehensively integrated technological measures for addressing the decried health concerns. It argues that in addition to traditional medical systems in healthcare facilities, healthcare centres and health organisations, emerging ICT services that harvest massive amounts of data about one's health can help better in tackling the raised health concerns and even many other health challenges. According to the World Health Organization, a strong approach to integrating data should consider more than just a person's medical history. These include their age, social and bodily characteristics, genetics, family and friend network, and their interactions with these people. Such ICT services include those that use IoT devices, sensors and mobile apps for disease tracking or decision assistance. These instruments can help create decision-support tools like individualized early risk prediction, prevention, and intervention help improve medical personnel's proficiency by enhancing their understanding of diseases and how to interpret their symptoms and effects. These technology-based systems and services can handle the difficulty of offering multidimensional analytic insights on integrated data while extracting value for healthcare stakeholders. The article posits that simultaneously, advanced data exploitation tools should use artificial intelligence (AI) to gain insights from complicated integrated data. Machine learning, deep computing and system neuroscience regarding AI can be applied to develop robust selection assistance systems that predict risks from various characteristics, including food, age, gender, lifestyle, environment, and genetics.

Cancer Prevalence


According to the WHO, cancer is Europe's number two cause of fatality and morbidity, with 3.7 million new cases and 1.9 million deaths annually [1]. Cancer of the pancreas (PC), with a higher incidence in developed nations, ranks seventh among all forms of cancer in terms of cancer-related fatalities on a global scale. The estimated 495,773 reported cases and 466,003 deaths (4.7% of all cancer-related deaths) in 2020. According to projections given by GLOBOCAN, pancreatic cancer was ranked the fourteenth most prevalent cancer globally [2]. Pancreatic cancer was also the EU's fourth greatest cancer killer in 2018 [3]. Western Europe had the greatest death rate, being 7.6 per 100,000 inhabitants, in that year. This is preceded by the key and Eastern European Union (7.3), the region of North America (6.5) each [4]. With 52.3% of all deaths from pancreatic cancer occurring in developed nations, the majority of these deaths were caused by the disease [5]. Furthermore, pancreatic cancer is more frequent in men and causes more deaths with age [6]. The inadequate global survival estimate for malignancy in the pancreas, of approximately 5%, is a significant factor in the decision to combat this specific form of cancer.

The elevated frequency and fatality rate indicate the need for prompt risk evaluation and identification that can reduce mortality. In addition, specific preventive and intervention strategies, such as early screening initiatives for people at high risk, can save lives. Early-stage pancreatic cancer typically shows no outward symptoms. Unspecific symptoms include weight loss, jaundice, pruritus, light-coloured faeces, discomfort in the stomach, and weariness as the tumour increases. Symptoms like anorexia, early satiety, nausea, dyspepsia, and others can indicate many illnesses [7]. The diagnostic power of MDCT, MRI and endoscopic techniques for diagnosing pancreatic cancer is restricted. Screening methods have hitherto focused on pre-invasive cancers rather than early PCI. Medical specialists claim that proactively assessing and reducing risks can lower the chance of getting cancer. Invasive pancreatic cancer can quickly spread outside the pancreas, thereby limiting its diagnostic relevance. These factors emphasize early and individualized prevention. Primary sickness prevention requires considering the cause, and disclosing risk factors that may identify high-risk individuals. One of the best ways to lower one's risk of getting cancer of the pancreas is to change the associated risks that you can control, such as your lifestyle, behaviors, and social interactions. For example, you could reduce smoking, drinking, and red meat, eat more fruits and vegetables, and exercise regularly. Successful investigation and deductive reasoning of each of these facts are crucial to assessing their potential to reduce disease risks [8]. These autonomous systems limit the benefits of data integration. Healthcare personnel cannot deliver person- and disease-centered health monitoring, risk prediction, prevention, and personalised therapies, because systems and data are not integrated well enough and technology is not integrated well enough. To overcome these obstacles, a strong strategy for data integration and sophisticated instruments for data exploitation is needed.

How Artificial Intelligence Addresses Health-Related Problems

AI can translate and analyse examinations thirty-fold faster and with 99% accuracy, which eliminates the need for pointless biopsies [9]. The use of AI, via portable and mobile applications, can help to raise enhanced health knowledge, early identification, and tracking of wellness and health-related problems [10]–[12]. Giving more precise answers to the right individuals at the right time is made possible by the second option.

Also, the accessibility of cutting-edge wearables and Smartphone apps offers a convenient means of delivering AI-powered personalized early risk assessment and decision support, with reference to preventive and intervention measures. Using cutting-edge user profiling techniques will provide patients individualized counsel and a personalized way to get it easier, increasing, encouraging and evolving patient compliance. See the following Figure 1:

Fig. 1: MLP Architecture**Source: Authors, 2022**

Using linked data and AI tools for healthcare services is a good idea that practitioners and policymakers have to consider and adopt accordingly. They ought to facilitate the development of standards or recommendations. The difficulty is not only to combine and analyze data from several sources, but also to present diverse analytical perspectives for the good of citizens, doctors, and policy-makers. More so, AI-HA integrates holistic health data with AI to research on pancreatic cancer, with a focus on early risk detection and personalized prevention and intervention measures through technology, would huge positive results. This study anticipates the following:

- Effective image segmentation and classification approach proposed to identify the pancreatic cancer region by applying deep learning and improvising the diagnosis process among the patients with proper treatment.
- Modified RF based CNN, with improved local feature information for medical imaging classification to perform pancreatic cancer diagnosis.
- Image pixel extraction with resonance imaging to perform image segmentation for pancreatic cancer cell detection using deep learning, neural networks and automated detection pancreatic cancer.

Another area, where holistic health data and AI converge, is the analysis of the implications of certain preventative actions and therapies. The latter will offer fresh perspectives on the psychological facets of the illness. Furthermore, the development of preventative measures and interventions within these environments will target high-risk individuals to lower their chance of acquiring pancreatic cancer.

Standardised Data Integration, AI and Solutions to Health-Related Problems

Standardised data integration, learning model updates, and analytics are important facets and obstacles of contemporary eHealth systems. Ambient Assisted Living (AAL) systems, which offer user-friendly interfaces and assistance features, are the product of ambitious R&D endeavours. Integrated techniques have not been able to lower entry barriers in the healthcare industry. So, researchers are looking for innovative components that can lead to new end-user experiences and services. The following two cutting-edge methods for addressing these problems established the standard for creating and applying the iHELP platform and method. The global open-source IoT platform [13] enables interoperability and quick IoT solution development. With these, customers can customise their experience and way of life increases and speeds up the potential for interconnectivity.

The fast expansion of the AAL IoT universe means that regular updates to linked systems bring new features and applications, thereby providing the middleware platform with limitless possibilities. Intelligent products and services can instantly interact, opening up endless possibilities for the Internet of Things. The latter illustrates the growing necessity for establishing entirely new living platforms and surroundings in the modern healthcare industry, where consumers can easily exchange important data between systems and devices. The ideas are intersected by the eWALL platform [14]. Like AAL, eWALL is using ICT to develop ELEs to foster independent living. These are enclosed spaces that provide older individuals with support in daily living. The purpose of eWALL is to help make up for age-related physical limitations, prolonging functional capacity, delaying institutionalization, increasing autonomy, and QoL improvement. A modular cloud-based platform is a component of eWALL, a wall-mounted system. The platform can integrate off-the-shelf and custom devices and a supporting Sensing Environment in the primary user's home that interacts with the primary user. Both conceptual entities make up a eWALL system. The entities are the Home Environment and the Cloud Environment components. Patients' residences host the system's sensing components, the eWALL Home Environment. All sensing capabilities are contained within market-available off-the-shelf devices. Integrating various devices into the eWALL Cloud Environment transparently and seamlessly is the responsibility of the Device Gateway (GW). The "Processing component" is tasked with expediting the interpretation of sensing data to perform critical functions, such as fall detection, presence detection, etc. The "Home DB" temporarily stores patient data before moving it to the "Cloud DB" for long-term preservation. All patient data collected from patients' homes is hosted and analyzed by the eWALL Cloud Environment. The system is characterised by connectivity gateways, notification capability, reasoning capability, and application integration.

Harmonizing and integrating data holistically is another crucial component. With this component, holistic harmonisation and integration of data across many data stores and locations obtain easily. To that end, electronic health records (EHRs) make it easier to handle patient information for use in healthcare and other contexts across institutional, geographic, and national boundaries [15]. The results include:

- ✦ Better data exchange
- ✦ Optimised and reliable storage, processing, and analysis
- ✦ Improved quality control, disease surveillance, public health monitoring, and trend analysis.


Data models must be standardised to ensure interoperability across all medical information systems that store patient clinical data. Although various standards enable organised clinical material sharing [17-19], organisations often employ alternative standards. Therefore, standardised security and data exchange models are necessary. A lot of efforts are being directed toward standard system architectures to give various stakeholders uniform access and data-sharing models. More standardised data-sharing models must be developed to link RTD initiatives across the lifetime of health and employ shared knowledge to benefit stakeholders.

Consequently, the CrowdHEALTH project, specifically the HHRs, suggest a comprehensive method for incorporating all health variables into novel frameworks [19]. A patient's behavioural information, healthcare information, results of laboratory tests, information gathered from interested parties, information about social contacts, and biological and behavioural information gathered from medical equipment and sensors are all possible inclusions in a Holistic Health Record (HHR). HHRs comprise customized data from healthcare systems and citizen-specific data, including age, ethnicity, gender, lifestyle, fitness/wellness, diet, and other health data.

Modified Prediction Model

Artificial intelligence (AI) has many advantages over arithmetic and statistical analysis. AI algorithms have shown promise in performing healthcare jobs, such as identifying diseases faster and more correctly than human beings [20]–[25]. Additionally, machine learning techniques have been used to precisely measure delivery [26]. Unfortunately, standard supervised learning methods are not great at finding risks early or analysing new conditions for which there is no enough training data [27]. On the other hand, they are good at helping people make more accurate decisions. In iHELP, more cost-effective unsupervised learning algorithms detect early risks and analyse pancreatic cancer risk variables based on patient clinical records. Such records include profile, diagnosis, comorbidity and medication. The investigation will identify dangers, contributing variables, and projections like pancreatic cancer risk factors. The analytical function results will be used to determine which individuals or prospects are most likely to experience the indicated hazard and who exhibit a tendency towards

characteristics related to pancreatic cancer risks. In addition, iHELP aims to collect, handle and evaluate lifestyle data. This kind of data, lifestyle data, is also regarded as secondary data. Thus, particular and individualised preventive actions and treatments must be developed based on the study of known patient populations and these recommendations will be customised to each patient's needs and grouped based on their psychological profiles to guarantee adherence, acceptance, and ongoing usage of the tracking and guidance tools. The recommendations are additional to the chance for success distribution methods, being wearable and mobile apps. IoT technology, handheld devices and wearable devices enable personlevel tailored treatments. Such behavioural nudges, lifestyle adjustments, monitoring, and alerts will be used to deliver personalised suggestions [24]–[28]–[35]. These technologies are specifically tailored to oversee the effectiveness of recommended interventions and gather secondary data from patients, which will be analysed subsequently to produce more comprehensive information. This information may include connections, interactions, situations, habits, and behaviours that may affect health, prevention, or long-term conditions. These statistics will be used to assess the effectiveness of suggested suggestions (prevention and intervention actions) and to identify new dangers. To enable an ongoing tracking and evaluation cycle, HHRs are produced by harmonising and integrating primary and secondary information. The information is subsequently saved in the iHELP platform [36]–[38]. The iHELP platform amalgamates investigations into sophisticated AI methodologies with innovative strategies for data modeling, administration, and system interoperability. iHELP provides a crucial clinical-ICT framework that standardises data models and organises to manage heterogeneous datasets, facilitates sharing information in clinical decision-making, and improves quality of life and health awareness. The following diagram illustrates the foregoing:

Fig. 2: AI iHELP Dataset Platform**Source: Authors, 2022**

The Fig. 2 consists of the following algorithms:

Algorithm 1: Max Pooling Calculation

INPUT: Image

OUTPUT: Calculate Max Pooling.

1. Max pooling – applied to the output mapping feature (convolutional operations detector line) with a modified random forest
2. Pooling line
3. For stride, the max operation is computed as
4. MaxPooling2D
6. Define vertical line detector
7. Store the weight in the max pooling model.weights_set
8. Apply the data filter: $\hat{y} = \text{model.predict}(\text{data})$.

Algorithm 2: Modified Random Forest Algorithm

Input: Datasets

Output: Binary Tree

Initialization

Tree 'T' selected for sub-tree Data collection

Subset 'S' initialising subset 1 to 'n'tree Train data

Create 'N'-sized data samples

Stop when node value is low


Choose the random variable 'V' from sample 'S'

Tree splits into 'n' leaf sub-trees based on Node.

Generate random tree Stop

See the proposed flow chart below

Fig. 3: Dataset flow chart



Source: Authors, 2022


Performance Analysis

As data intelligence grows in health care and intelligent appliances, there is an increasing amount of data to be examined utilising big data. An important part of carrying out the process of monitoring patient healthcare is machine learning. Therefore, according to patient-specific measures, the patient typically overcomes the challenge of variance in the more significant dataset number and complexity and efficiently obtaining the data.

We provide an intelligent learning framework that is combined with machine learning, based on the healthcare application, to enhance the assessment of patient monitoring using patient care metrics, including data correctness, cost, and time complexity.


The patient treatment procedure consists of three phases. The phases are pre-treatment, intreatment, and post-treatment. It also facilitates the detection and monitoring of cancer. Thus, the characteristics linked to breast cancer healthcare data scalability with adaptability are evaluated. By changing the epochs from 0 to 30, Figure 4 computes the loss, using the categorisation model. The saturation of the loss occurs as the recommended value increases across epochs. See the figures 47 below:

Fig. 4: Epochs vs. Loss




Source: Authors, 2022

Fig. 5: Phase vs. accuracy increase




Source: Authors, 2022

Fig. 6:No. of iteration vs.accuracy (Loss Function: focal_tversky)



Source: Authors, 2022

Fig. 7: No of iteration vs accuracy (Loss Function: categorical_crossentropy)



Source: Authors, 2022

Accordingly, as phases increase from 0 to 30, accuracy increases. Figures 4 and 5 depict it. Different loss function models, such as focal_tversky and categorical_crossentropy, are used in Figures 6 and 7. The accuracy is

determined by comparing the suggested Res U-Net to the present one and changing iterations. The precision increases with iterations. The loss function depicted in Figure 6 is specific to focal_tversky. Category_cross entropy for the loss function is shown in Figure 7.

Conclusion

In spite of data analytic techniques' prosperity of proof on pancreatic cancer datasets and recent developments within treatment, a great deal of hazards and related situations remain unanalysed, necessitating the necessity for focused suggestions. By providing insights into pancreatic cancer detection, prevention, and treatment involving AI techniques, the iHELP platform has promising potentials to tackle pancreatic cancer. The iHELP innovation seeks to establish a new personalised hospital to collect, combine, and standardise health data from medical records, lifestyle choices, behaviours, and social media interactions. The study has shown that iHELP is a Holistic Health Record (HHR) system of technological innovation in healthcare.

With iHELP, real-time risk prediction, multi-modal causal analysis, and anomaly detection obtain significantly. With AI techniques, iHELP can be used to develop resilient instructional techniques that foster effective and proactive decisions through the method of risk-free forecasts and individualised preventive actions. These are aimed at intervening user-centric cell phones and wearable apps delivering warnings, behavioral nudges, consultations, prescriptions, therapies, screening, etc. The iHELP outcomes can do more than only compile information from many sources. They have obviously opened up possibilities for creating problem-solving AI methods (techniques) that can simulate the unique circumstances of each pancreatic cancer patient and produce accurate predictions that may be employed to develop effective care plans.

Finally, by virtue of integrative functionality, HHRs help validate iHELP outcomes, including quality of life and risk reduction through powerful analytic tools. Therefore, iHELP solutions are bound to help policy-makers establish new screening programmes and guidelines for improving clinical, lifestyle, and behavioural aspects of pancreatic cancer therapies and other related remedies. These include providing choice support and sociological analysis. The proposed iHELP approach and platform can be evaluated further by using data from many cohorts/regions in the EU and beyond to verify data models. And, as it is realised that AI-based analytics get closer and facilitate knowledge exchange and collaboration among physicians, researchers, and policymakers, there is need for full integration of AI techniques into healthcare practices, discourses and researches.

References

- Thomas G.Cotter&MaryRinella, Nonalcoholic fatty liver disease 2020: The state of the disease. *Gastroenterology*. 158(7). 1851-1864. 2020.
- Alessandro Mantovani, Alessandro Csermely, Graziana Petracca, Giorgia Beatrice, Kathleen E. Corey, Tracey G. Simon, Christopher D. Byrne, BCh & Giovanni Targher, Non-alcoholic fatty liver disease and risk of fatal and non-fatal cardiovascular events: An updated systematic review and meta-analysis. *The Lancet Gastroenterology & Hepatology*. 6(11). 903-913. 2021.
- Cyrielle Caussy, Adrien Aubin & Rohit Loomba, The relationship between type 2 diabetes, NAFLD, and Cardiovascular risk. *Current Diabetes Reports*. 15. 2021.
- Yuan-Xing Liua, Xi Liu, Chao Cen, Xin Li, Ji-Min Liu, Zhao-Yan Ming, Song-Feng Yu, Xiao-Feng Tang, Lin Zhou, Jun Yu, Ke-Jie Huang&Shu-SenZheng, Comparison and development of advanced machine learning tools to predict nonalcoholic fatty liver disease: An extended study. *Hepatobiliary& Pancreatic Diseases International*. 20(5). 409-415. 2021.
- Natarajan Balasubramanian, Yang Ye & Mingtao Xu, Substituting human decision-making with machine learning: Implications for organizational learning. *Academy of Management Review*. 47(3). 2022.
- R. Biswas, Outlining big data analytics in health sector with special reference to Covid-19. *Wireless Personal Communications*, volume. 124. 2097–2108. 2022.
- Mumtaz Karatas, Leven Eriskin, Muhammet Deveci, Dragan Pamucar & Harish Garg, Big data for healthcare industry 4.0: Applications, challenges and future perspectives. *Expert Systems with Applications*. 200. 2022.
- Sergio J. Sanabria, Amir M. Pirmoazen, Jeremy Dahl, Aya Kamaya & Ahmed El Kaffas, Comparative study of raw ultrasound data representations in deep learning to classify hepatic steatosis. *Ultrasound in Medicine & Biology*. 48(10). 2060-2078. 2022.

Ahmed Gaber, Hassan A. Youness, AlaaHamdy, Hammam M. Abdelaal & Ammar M. Hassan, Automatic classification of fatty liver disease based on supervised learning and genetic algorithm. *Appl. Sci.* 12(1). 521. 2022.

Daniele Pastori, Arianna Pani, Arianna Di Rocco, Danilo Menichelli, Gianluca Gazzaniga,

Alessio Farcomeni, Laura D'Erasmo, Francesco Angelico, Maria Del Ben & Francesco Baratta, Statin liver safety in non-alcoholic fatty liver disease: A systematic review and metanalysis. *British Journal of Clinical Pharmacology.* 88(2). 441-451. 2022.

Christopher D. Byrne, Banting memorial lecture 2022: 'Type 2 diabetes and nonalcoholic fatty liver disease: Partners in crime'. *Diabetic Medicine.* 39(10). e14912. 2022.

Huapeng Lin, Terry Cheuk-Fung Yip, Xinrong Zhang, Guanlin Li, Yee-Kit Tse, Vicki

Wing-Ki Hui, Lilian Yan Liang, Jimmy Che-To Lai, Stephen Lam Chan, & Henry LikYuen Chan, Age and the relative importance of liver-related deaths in nonalcoholic fatty liver disease. *Hepatology. AASLD.* 2022.

Nabil Nouredin, MazenNouredin, Amandeep Singh &NaimAlkhouri. Progression of nonalcoholic fatty liver disease-associated fibrosis in a large cohort of patients with type 2 diabetes. *Digestive Diseases and Sciences.* 67. 1379–1388. 2022.

H. GM, M. K. Gourisaria, S. S. Rautaray, and M. Pandey, UBMTR: Unsupervised Boltzmann machine-based time-aware recommendation system. *Journal of King Saud University-Computer and Information Sciences,* 2021.

M. A. Taufiq, N. Hameed, A. Anjum, & F. Hameed, m-Skin Doctor: A mobile-enabled system for early melanoma skin cancer detection using a support vector machine. *eHealth 360° Springer, Cham,* 468- 475, 2019.

S. Chandra, M. K. Gourisaria, H. GM, S.S. Rautaray, M. Pandey & S. N. Mohanty, Semantic analysis of sentiments through web-mined Twitter corpus. In *Proceedings of CEUR Workshop Proceedings*, vol. 2786, 122-135, 2021.

- Ghulab Nabi Ahmad, Hira Fatima; Shafi Ullah; Abdelaziz Salah Saidi; Imdadullah Faculty of Engineering & Technology, Electrical Engineering Section, University Polytechnic, Aligarh Muslim University, Aligarh, India, Efficient Medical Diagnosis of Human Heart Diseases Using Machine Learning Techniques With and Without Grid Search. IEEE Access. 10. 80151 – 80173. 2022.
- H. GM, M. K. Gourisaria, M. Pandey and S. S. Rautaray, A comprehensive survey and analysis of generative models in machine learning. Computer Science Review, 38, 100285, 2020.
- S. Suganyadevi, V. Seethalakshmi & K. Balasamy, A review on deep learning in medical image analysis. International Journal of Multimedia Information Retrieval, 11. 19–38. 2022.
- G. Jee, H. GM, & M. K. Gourisaria, Juxtaposing inference capabilities of deep neural models over posteroanterior chest radiographs facilitating COVID-19 detection. Journal of Interdisciplinary Mathematics, 1-27. 2021.
- Khalil Boukthir, Abdulrahman M. Qahtani, Omar Almutiry, Habib Dhahri & Adel M. Alimi, Reduced annotation based on deep active learning for Arabic text detection in natural scene images. Pattern Recognition Letters. 157. 42-48. 2022.
- A. Sahu, H. GM & M. K. Gourisaria, A dual approach for credit card fraud detection using neural network and data mining techniques, 17th India Council International Conference (INDICON) IEEE, New Delhi, India. 1-7. 2020.
- K. Prakash, & S. Saradha, A hybrid approach for prediction and stage wise classification of liver failure. 7th International Conference on Communication and Electronics Systems (ICCES). 2022.
- Naoshi Nishida, Makoto Yamakawa, Tsuyoshi Shiina & Masatoshi Kudo. Current status and perspectives for computer-aided ultrasonic diagnosis of liver lesions using deep learning technology. Hepatology International. 13. 416–421. 2019.
- An Tang, Bogdan Dzyubak, Meng Yin, Alexandra Schlein, Walter C. Henderson, Jonathan C. Hooker, Timoteo I. Delgado, Michael S. Middleton, Lin Zheng, Tanya Wolfson, Anthony Gamst, Rohit Loomba, Richard L. Ehman & Claude B. Sirlin. MR elastography in nonalcoholic fatty liver disease: Inter-center and inter-

analysis-method measurement reproducibility and accuracy at 3T. *European Radiology*. 32. 2937–2948. 2022.

Hui Che, Lloyd G. Brown, David J. Foran, John L. Noshier & Ilker Hacihaliloglu, Liver disease classification from ultrasound using multi-scale CNN. *International Journal of Computer Assisted Radiology and Surgery*. 16. 1537–1548. 2021.

K. Prakash&S. Saradha. A deep learning approach for classification and prediction of cirrhosis liver: Nonalcoholic fatty liver disease (NAFLD). 6th International Conference on Trends in Electronics and Informatics (ICOEI). 2022.

Ramya Manikyam, J. Todd McDonald, William R. Mahoney, Todd R. Andel& Samuel H. Russ. 2016. Comparing the effectiveness of commercial obfuscators against MATE attacks. In *Proceedings of the 6th Workshop on Software Security, Protection, and Reverse Engineering (SSPREW'16)*.

R. Manikyam, Program protection using software based hardware abstraction. Ph.D. dissertation, University of South Alabama. 2019.

P. Kanagala &R. Jayaraman, FAA-cloud approach to minimize computation overhead using fuzzy-based crypto security, *Soft Computing*, 1-11.

P. Kanagala&R. Jayaraman,Effective encryption approach to improving the secure cloud framework through fuzzy-based encrypted cryptography, *Soft Computing*, 1-10.

R. Pulimamidi & P. Ravichandran, Connected health: Revolutionizing patient care through artificial intelligence innovations. *Tuijin Jishu/Journal of Propulsion Technology* 44 (3), 3940-3947.

R. Pulimamidi & P. Ravichandran, Enhancing healthcare delivery: AI applications in remote patient monitoring. *Tuijin Jishu/Journal of Propulsion Technology* 44 (3), 39483954.

Naga Simhadri Apparao Polireddi & K. Chaitanya, Web accessibility evaluation of private and government websites for people with disabilities through fuzzy classifier in the USA. *Soft Computing*, Pages 1-9. 2023.

Adithya Padthe Srinivas Aditya Vaddadi, Pandu Ranga Rao Arnepalli & Ramya Thatikonda, Effective malware detection approach based on deep learning in cyberphysical systems. *International Journal of Computer Science and Information Technology*, volume 14, issue 6, 01-12.

S.Vishwakarma, R. S.Goswami, P. P. Nayudu, K. R.Sekhar, P. R. Arnepalli, R. Thatikonda & W. M. Abdel-Rehim(2023). Secure federated learning architecture for fuzzy classifier in healthcare environment. *Soft Computing*. <https://doi.org/10.1007/s00500-02308629-4> - (Publisher: Springer Link)

D. K. Yendluri, J. Ponnala, R. Tatikonda, M. Kempanna, R. Thatikonda & A. Bhuvanesh, Role of RPA & AI in optimizing network field services. *2023 7th International Conference*

On Computation System and Information Technology for Sustainable Solutions (CSITSS). 2023. <https://doi.org/10.1109/csitss60515.2023.10334117>(IEEE)

R. Thatikonda, S. Satpathy, S. Ali, M. C. Trivedi & M. Choudhry, towards computationally efficient and real-time distracted driver detection using Convolutional Neural Networks. *Artificial Intelligence, Blockchain, Computing and Security Volume 1*, 37–46. 2023. <https://doi.org/10.1201/9781003393580-7>