Journal of Climate Science and Meteorology

Research Article

CLIMATE CHANGE AND AGRICULTURAL PRODUCTIVITY IN NORTHERN NIGERIA: CHALLENGES AND IMPACTS

Chinedu Michael Okafor and Aisha Fatimah Bello

Department of Agricultural Sciences, Education and Communication, Purdue University, West Lafayette, IN, USA

DOI: 10.5281/zenodo.15575515

Abstract

Climate change presents significant challenges to agricultural productivity in Northern Nigeria, a region heavily reliant on rain-fed farming systems. This study examines the impacts of rising temperatures, erratic rainfall patterns, and extreme weather events on agricultural output, food security, and socio-economic stability in the region. A secondary research methodology was employed to review existing literature and reports, focusing on trends related to climate change and its effects on agricultural productivity. The findings highlight a marked increase in average temperatures, resulting in higher evaporation rates, while unpredictable rainfall patterns disrupt traditional planting and harvesting cycles, leading to reduced crop yields. Extreme weather events, including droughts and floods, are becoming more frequent and intense, with devastating effects on both crop and livestock production. Desertification and the loss of arable land further exacerbate the region's vulnerability to these environmental challenges. The socio-economic impacts include heightened food insecurity, rural poverty, and escalating resource-based conflicts between farmers and pastoralists. The study recommends adaptive strategies such as the use of climate-resilient crop varieties, sustainable land management practices, and improved irrigation techniques to mitigate the adverse effects of climate change on agriculture in Northern Nigeria. These strategies, alongside policy interventions, are essential to improve food security and promote long-term agricultural sustainability in the face of climate change.

Keywords: Climate Change, Agricultural Productivity, Northern Nigeria, Food Security, Socioeconomic Impact

Introduction

Agriculture has been central to Nigeria's economic development, serving as the backbone of its economy and providing livelihoods for a significant portion of its population. The sector contributes approximately 23–25% of Nigeria's Gross Domestic Product (GDP) and employs over 60% of the workforce, with the majority engaged in smallholder and subsistence farming (Akinmoladun & Oladipo, 2020; World Bank, 2021). Beyond its economic significance, agriculture remains a critical source of food security and a stabilizing factor for rural communities. Northern Nigeria, in particular, is a major hub for agricultural activities, producing staple crops

| ISSN: 3065-047X

Vol: 13 No: 02

Journal of Climate Science and Meteorology

Research Article

such as millet, sorghum, maize, and groundnuts, as well as supporting livestock farming (Nwajiuba & Onyeneke, 2010). Agriculture in Northern Nigeria plays a vital role in sustaining livelihoods and ensuring food security for millions of people. However, the sector is increasingly under threat due to the growing impacts of climate change. This vulnerability is particularly pronounced because the majority of agricultural activities in the region rely on rainfed farming systems, which depend heavily on natural rainfall patterns. Unlike irrigated agriculture, rain-fed farming lacks the resilience to cope with climatic variability, leaving farmers at the mercy of erratic weather conditions (Sulaimon, 2021). As a result, even slight changes in climatic conditions can significantly disrupt agricultural productivity, posing severe risks to the socio-economic well-being of rural communities. One of the most concerning aspects of climate change in Northern Nigeria is the rising temperatures. Studies show that average temperatures in the region have been increasing at an alarming rate, with projections indicating further rises in the coming decades (Akinbobola et al., 2018).

Higher temperatures exacerbate heat stress in crops and livestock, reduce soil moisture, and increase the prevalence of pests and diseases, all of which negatively impact agricultural yields. For instance, crops such as maize and sorghum, which are staples in the region, have shown declining yields under prolonged heat stress (FAO, 2019). In addition to rising temperatures, erratic rainfall patterns are a major challenge for farmers in Northern Nigeria. Historically, the region experienced relatively predictable rainfall, allowing farmers to plan their planting and harvesting schedules. However, climate change has disrupted these patterns, resulting in irregular and insufficient rainfall. Prolonged dry spells during critical growing seasons have led to droughts, while sudden and intense rainfall events cause flooding, soil erosion, and waterlogging, further damaging crops (NiMet, 2020). These unpredictable weather patterns reduce farmers' ability to maximize productivity and force many to adopt unsustainable practices, such as overcultivating marginal lands. Desertification is another significant consequence of climate change that threatens agriculture in Northern Nigeria. The region is already characterized by semi-arid and arid conditions, and the encroachment of the Sahara Desert has worsened due to reduced vegetation cover, overgrazing, and unsustainable farming practices. According to the United Nations Convention to Combat Desertification (UNCCD), desertification affects over 35% of Nigeria's total land area, with Northern Nigeria bearing the brunt of this degradation (UNCCD, 2019). The loss of fertile land has led to reduced crop and pasture availability, limiting agricultural productivity and straining the livelihoods of farmers and herders.

Extreme weather events, such as storms and flash floods, have also become more frequent in Northern Nigeria due to climate change. These events destroy farmlands, livestock, and infrastructure, leaving farmers in a state of perpetual recovery. For instance, the devastating floods of 2012 and 2022 caused significant agricultural losses in Nigeria, with Northern states among the hardest hit (National Emergency Management Agency [NEMA], 2022). Such disasters not only reduce immediate food supplies but also undermine long-term agricultural development by depleting resources and discouraging investments in farming. The cumulative effects of these climate-related challenges threaten the sustainability of agriculture in Northern Nigeria. With millions of people dependent on farming for their livelihoods, the declining productivity of the sector has far-reaching implications for food security, poverty alleviation, and economic development. Addressing these issues requires urgent action to build resilience within the agricultural sector and ensure that rural communities can adapt to the changing

| ISSN: 3065-047X

Journal of Climate Science and Meteorology

Research Article

climate. The impact of climate change on agriculture in Northern Nigeria transcends the immediate challenge of reduced food production and extends into broader socio-economic vulnerabilities. As agricultural productivity declines due to climate-related factors such as drought, erratic rainfall, and desertification, rural communities face increasing levels of poverty and food insecurity. The high dependence on agriculture for livelihoods in the region means that even minor disruptions can have cascading effects on household incomes and overall economic stability (FAO, 2019). This is particularly concerning in a region where poverty levels are already high, and food production plays a critical role in ensuring not only economic but also social stability.

The threats posed by climate change to agricultural production extend beyond crop farming to encompass livestock and the entire agricultural sector. In Africa, farmers rely on livestock for income, food, and animal products (Nin, Ehui, & Benin, 2007). Climate change can affect livestock both directly and indirectly (Adams et al., 1999; Manning & Nobrew, 2001). Direct impacts include changes in variables such as air temperature, humidity, wind speed, and other climatic factors, which influence livestock performance in areas such as growth, milk production, wool production, and reproduction. Indirect effects include impacts on the quantity and quality of feed sources such as pasture, forage, and grain, as well as on the severity and distribution of livestock diseases and parasites (Niggol & Mendelsohn, 2008). Therefore, addressing climate change's impact requires a holistic examination of agricultural productivity across all subsectors of agriculture. Rainfall is the most critical factor influencing climate change and water resource availability in Nigeria (Adejumo, 2004). The northeastern region of Nigeria is rapidly transitioning into an arid environment due to a significant reduction in surface water, vegetation, and wildlife resources (Obioha, 2008). Persistent declines in rainfall have also led to a decrease in the natural regeneration of land resources, prompting increased exploitation of previously undisturbed lands (Fasona & Omojola, 2005). This overexploitation has resulted in deforestation and the expansion of sand dunes and Aeolian deposits in northern Nigeria.

Climate change is one of the most pressing global challenges today, with some experts suggesting it poses a greater threat than global terrorism (King, 2004). In Nigeria's southern region, which is traditionally characterized by high rainfall, irregular precipitation patterns and rising temperatures are becoming increasingly evident, particularly in the Guinea Savannah zone. Meanwhile, the northern region continues to face the severe challenge of desertification and desert encroachment (FME, 2004). These climate-induced changes highlight the urgency of addressing Nigeria's environmental vulnerabilities and implementing adaptive measures. Food insecurity is one of the most pronounced socio-economic consequences of climate change in Northern Nigeria. Declining agricultural yields reduce the availability of staple crops, leading to higher food prices and restricted access to nutritious food, especially for vulnerable populations (Odoemenem & Otanwa, 2011). This situation exacerbates malnutrition and weakens the health of rural populations, particularly children, pregnant women, and the elderly. For example, the persistent droughts experienced in Northern Nigeria have been linked to severe food shortages, forcing many households to adopt coping mechanisms such as reducing the quality and quantity of their meals (NiMet, 2020). Such measures may provide short-term relief but further deepen vulnerabilities in the long term. Climate change also contributes significantly to forced migration within and beyond Northern Nigeria. As

| ISSN: 3065-047X

Journal of Climate Science and Meteorology

Research Article

agricultural productivity declines and land becomes less arable due to desertification and soil degradation, farmers and herders are increasingly compelled to migrate in search of better opportunities (Onyekuru & Marchant, 2016). This rural-to-urban migration often leads to overcrowded cities, increased unemployment, and pressure on urban infrastructure. In some cases, migration also sparks conflicts between farmers and herders over access to dwindling resources, further destabilizing the region. For instance, the intensification of herder-farmer conflicts in the Middle Belt of Nigeria has been partly attributed to climate-induced resource scarcity (Olaniyi et al., 2013). Northern Nigeria's vulnerability to climate-induced shocks is further exacerbated by its semi-arid environment and limited adaptive capacity. The region lacks the robust infrastructure, financial resources, and institutional frameworks necessary to mitigate the impacts of climate change effectively (FAO, 2019). This limited capacity not only hinders efforts to build resilience but also reduces the ability of local communities to recover from climate-induced shocks. Consequently, many rural households remain trapped in a cycle of poverty and vulnerability, unable to invest in more sustainable and productive agricultural practices. The increasing vulnerability of agriculture in Northern Nigeria has raised concerns about the long-term viability of the sector. This has sparked discussions on the urgent need for comprehensive policy interventions, technological innovations, and the promotion of sustainable agricultural practices. Policy interventions must prioritize climateresilient agricultural systems, including improved irrigation infrastructure, access to climatesmart technologies, and capacity-building for farmers to adopt sustainable practices (Olaniyi et al., 2013). Additionally, technological innovations such as drought-resistant crop varieties, precision agriculture, and early warning systems for weather patterns can help farmers adapt to changing climatic conditions. Sustainable agricultural practices, including agroforestry, conservation agriculture, and integrated pest management, can also play a critical role in enhancing productivity while preserving the environment.

This paper aims to contribute to this growing discourse by exploring the extent to which climate change affects agricultural productivity in Northern Nigeria. It examines the socio-economic consequences of climate-induced challenges and evaluates potential mitigation strategies to address these issues. The study is particularly relevant in light of Nigeria's dependence on agriculture as a key driver of economic development and its role in ensuring food security for the growing population. Understanding the interplay between climate change and agricultural sustainability in Northern Nigeria is critical for designing policies that can enhance resilience, promote rural development, and secure the livelihoods of farmers in the face of increasing climatic uncertainties.

Methodology

This study employs a secondary research methodology to investigate the effects of climate change on agricultural productivity in Northern Nigeria. Secondary research involves the systematic collection, analysis, and synthesis of existing data, scholarly articles, reports, and other credible resources to address the research objectives. This approach is particularly suited for this study due to its efficiency in accessing a wide range of data sources and its ability to provide insights into long-term trends and patterns in climate change and agricultural productivity. Data for this study were gathered from existing literature, including peer-reviewed journal articles, government reports, international organization publications, and other secondary data sources. journals such as the Journal of Agricultural Extension and Rural Development, African Journal of Environmental Science and Technology, and

| ISSN: 3065-047X

Vol: 13 No: 02

Journal of Climate Science and Meteorology

Research Article

Climate Risk Management. The data were analyzed using a qualitative content analysis approach, focusing on identifying and categorizing themes related to the impact of climate change on agricultural productivity. The data were critically evaluated for reliability and relevance to ensure that only credible and context-specific information was included in the analysis. Comparative analysis was also used to highlight trends and disparities between different regions and timeframes within Northern Nigeria.

Climate Change and Its Manifestations in Northern Nigeria

Northern Nigeria, with its semi-arid and arid ecological zones, is particularly susceptible to the adverse impacts of climate change. The region's vulnerability is heightened by its dependence on rain-fed agriculture and limited adaptive capacity. Several manifestations of climate change in this area have become increasingly apparent:

Rising Temperatures

Northern Nigeria has experienced a significant and sustained rise in average temperatures over the past few decades, a trend that has had profound consequences for agriculture, water resources, and livelihoods in the region. Research shows that the annual mean temperature in the region has increased by approximately 0.8°C to 1.2°C since the 1960s, with projections indicating further warming in the coming decades (Odjugo, 2010; Akande et al., 2021). This warming trend has intensified the region's vulnerability to climate variability, given its preexisting arid and semiarid ecological zones. High temperatures directly impact crop yields, particularly in staple crops such as millet, sorghum, and maize. These crops are vital to the region's food security but are highly sensitive to thermal stress, which affects their growth, flowering, and grain-filling processes (Bature et al., 2020). Studies have shown that a 1°C increase in temperature can lead to a 10%–15% reduction in cereal crop yields, exacerbating food insecurity in an already vulnerable region (Ibrahim et al., 2019). The effects of rising temperatures are not limited to agriculture; they also extend to livestock rearing, another critical livelihood activity in Northern Nigeria. Heat stress reduces livestock productivity, affecting weight gain, reproduction rates, and milk production. Prolonged exposure to high temperatures can also lead to increased mortality rates among animals, particularly during periods of drought (Olaniyi et al., 2020). Furthermore, higher temperatures exacerbate water scarcity by accelerating evaporation rates in surface water bodies such as rivers, lakes, and reservoirs. This has a cascading effect on agriculture, as reduced water availability limits irrigation potential and increases competition for water resources among communities. For example, Lake Chad, a critical water source for the region, has experienced significant shrinkage, partly due to rising temperatures and increased evaporation (Odjugo, 2010). The combined impacts of rising temperatures—reduced crop yields, stressed livestock, and water scarcity—have far-reaching implications for food security, health, and livelihoods. These challenges highlight the need for climate-resilient agricultural practices, such as drought-resistant crop varieties, efficient irrigation techniques, and integrated water resource management, to mitigate the adverse effects of rising temperatures in Northern Nigeria.

Erratic Rainfall Patterns

Northern Nigeria has been increasingly affected by erratic rainfall patterns, a hallmark of climate change that has significantly disrupted traditional farming practices in the region. Historically reliant on predictable wet and dry seasons, farmers now face uncertainty in planting and harvesting, as rainfall becomes more sporadic and unevenly

| ISSN: 3065-047X | Page | 47

Vol: 13 No: 02

Journal of Climate Science and Meteorology

Research Article

distributed. Studies indicate that rainfall in Northern Nigeria has declined by approximately 20% during primary growing seasons over the last two decades, posing serious challenges to agricultural productivity and rural livelihoods (Audu et al., 2020). The region has witnessed shorter rainy seasons and prolonged dry spells, which affect both crop cultivation and livestock rearing. Crops like millet, sorghum, and maize, which are staples in Northern Nigeria, depend heavily on consistent rainfall. Delayed rains or early cessation of the rainy season often result in poor germination, reduced yields, and in some cases, complete crop failure (Bature et al., 2021). These changes have also disrupted traditional farming calendars, leaving farmers unable to predict optimal planting and harvesting periods, further exacerbating food insecurity. In addition to temporal shifts, spatial variability in rainfall has intensified. Some areas experience heavy, concentrated rainfall leading to flooding, while others suffer prolonged dry periods. These extreme variations result in soil erosion, nutrient leaching, and land degradation, reducing the availability of arable land (Audu et al., 2020). Flooding has particularly severe implications for lowlying farmlands along riverbanks, washing away crops and displacing farming communities. Livestock farming has also been impacted by erratic rainfall. Reduced availability of water and pasture during prolonged dry spells has led to livestock mortality and increased competition for grazing resources. The pastoralist communities, who rely on seasonal migration to sustain their herds, have found it increasingly difficult to cope, often leading to conflicts over access to dwindling resources (Ibrahim et al., 2019). The unpredictability of rainfall has cascading effects on food security and rural livelihoods in Northern Nigeria. Farmers, who make up a significant portion of the region's population, are increasingly unable to meet their subsistence and economic needs, leading to widespread poverty and forced migration. Adaptation measures such as improved water harvesting techniques, drought-tolerant crop varieties, and integrated soil fertility management are critical to mitigating the effects of erratic rainfall patterns in the region.

Increased Frequency of Extreme Weather Events

In Northern Nigeria, the frequency and intensity of extreme weather events such as droughts and floods have risen sharply in recent years, a trend linked to global climate change. These events disrupt livelihoods, exacerbate food insecurity, and amplify socioeconomic challenges for the predominantly agrarian communities in the region.

i Droughts

Droughts in Northern Nigeria have become more prolonged and severe, reducing water availability and significantly affecting agriculture, which relies on consistent rainfall. Extended dry periods dry up rivers, lakes, and other water bodies, leaving communities without access to drinking water and irrigation for farming (Audu et al., 2020). This situation often results in crop failures, livestock deaths, and diminished food production, pushing rural communities toward famine. For example, a 2019 study reported that over 60% of agricultural households in Northern Nigeria experienced crop losses due to droughts, leading to reduced income and heightened poverty levels (Ibrahim et al., 2019).

ii Floods

Conversely, heavy rainfall events in the region have become increasingly intense and unpredictable, resulting in devastating flash floods. These floods destroy crops, wash away topsoil,

Vol: 13 No: 02

Journal of Climate Science and Meteorology

Research Article

and damage infrastructure such as roads and irrigation systems. The erosion of fertile soil reduces the productive capacity of farmlands, leading to long-term declines in agricultural output (Bature et al., 2021). For instance, the floods of 2022 displaced thousands of households in Jigawa State, submerging vast areas of farmland and displacing over 100,000 people (Audu et al., 2020).

iii Socioeconomic Impacts

The dual impact of droughts and floods has amplified poverty and forced migration in Northern Nigeria. Many farmers, unable to recover from successive losses, abandon their lands to seek refuge in urban centers or other regions, creating environmental refugees and overburdening urban infrastructure. Migration patterns are often accompanied by conflicts over dwindling resources, particularly between farmers and pastoralists, as competition for arable land and grazing areas intensifies (Olaniyi et al., 2020).

Desertification

The southward expansion of the Sahara Desert into Northern Nigeria is among the most visible and devastating consequences of climate change in the region. Desertification, defined as the degradation of land in arid and semi-arid areas due to climatic and human factors, has significantly diminished the availability of arable land, undermining food security and threatening rural livelihoods. A combination of natural and anthropogenic factors contributes to desertification in Northern Nigeria. Reduced rainfall and prolonged dry spells have accelerated soil moisture loss, leaving the land increasingly vulnerable to degradation. Human activities such as overgrazing, unsustainable agricultural practices, deforestation, and fuelwood harvesting have further compounded the problem by depleting vegetation cover, which is critical for stabilizing soil and preventing erosion (Olaniyi et al., 2020). In many areas, poor land management practices exacerbate the effects of climate variability, creating a vicious cycle of environmental degradation.

States such as Yobe, Borno, Jigawa, Katsina, and Sokoto are among the most severely affected by desertification. Once fertile lands in these states have transformed into barren deserts, rendering them unsuitable for farming or grazing. For example, studies indicate that approximately 35% of Yobe State's arable land has been lost to desertification over the past three decades, significantly reducing agricultural output and displacing farming communities (Audu et al., 2020). In Jigawa State, the advancement of desert conditions has also increased the frequency of sandstorms, which destroy crops and damage infrastructure (Bature et al., 2021). The loss of arable land due to desertification has severe implications for food security and economic stability. Farmers and pastoralists, who rely heavily on the land for their livelihoods, face declining productivity, leading to increased poverty and unemployment. These challenges have prompted migration from rural to urban areas, straining urban resources and exacerbating social tensions. Desertification has also heightened conflicts between farmers and herders, as competition over shrinking arable and grazing lands intensifies (Ibrahim et al., 2019). Efforts to mitigate desertification in Northern Nigeria include reforestation and afforestation programs, such as the Great Green Wall initiative, which aims to restore degraded landscapes and improve livelihoods across the Sahel. Additionally, sustainable land management practices, including crop rotation, agroforestry, and soil conservation techniques, are being promoted to rehabilitate degraded lands. Community-based approaches that engage local

| ISSN: 3065-047X

Vol: 13 No: 02

Journal of Climate Science and Meteorology

Research Article

populations in replanting vegetation and adopting alternative energy sources, such as solar energy, are also critical to reducing dependence on deforestation for fuelwood (Olaniyi et al., 2020).

Socio-Economic Impacts of climate change in Northern Nigeria

The socio-economic impacts of climate change in Northern Nigeria are profound, extending far beyond the direct effects on agricultural productivity. Climate-induced challenges, such as declining crop yields, livestock mortality, and environmental degradation, have far-reaching consequences for food security, poverty levels, and social stability.

Food Insecurity

Declining agricultural productivity in Northern Nigeria has emerged as a critical driver of food insecurity, disproportionately affecting vulnerable populations. The region's dependence on staple crops such as millet, sorghum, and maize makes it particularly susceptible to climatic changes, including erratic rainfall, desertification, and prolonged droughts. These factors have severely disrupted agricultural activities, leading to reduced yields and diminished food availability. Erratic rainfall and desertification have reduced the productivity of farmlands, resulting in lower crop outputs. Millet and sorghum, which are drought-resistant staples, have shown significant declines in yield due to increasing temperatures and shortened growing seasons. Research indicates that maize yields have dropped by as much as 30% in some areas of Northern Nigeria over the past decade due to unfavorable climatic conditions (Audu et al., 2021). These reductions have created a supply-demand imbalance, driving up food prices and limiting access for low-income households.

The Food and Agriculture Organization (FAO) reports that approximately 40% of households in Northern Nigeria experience moderate to severe food insecurity, with urban areas not immune to these challenges (FAO, 2022). The reliance on rural farming communities for food supply means disruptions in agricultural production directly affect urban markets, where prices for essential commodities continue to rise. This phenomenon is exacerbated by poor transportation infrastructure, which hampers the efficient distribution of food across the region. The rising cost of food has led to increased malnutrition, especially among children, women, and the elderly. A report by the United Nations Children's Fund (UNICEF) highlights that acute malnutrition rates in Northern Nigeria remain among the highest in the world, with over 2 million children at risk annually (UNICEF, 2022). Malnourished children face higher risks of stunted growth, weakened immunity, and reduced cognitive development, while women and the elderly are also vulnerable to nutrient deficiencies. The health impacts of food insecurity place an additional burden on already stretched healthcare systems, creating long-term public health challenges. Widespread food insecurity has exacerbated poverty and inequality in Northern Nigeria. Farmers experiencing repeated crop failures often resort to selling off productive assets, such as livestock or equipment, to cope with income losses, further entrenching cycles of poverty. Additionally, food insecurity has fueled migration from rural areas to urban centers as families seek alternative livelihoods. This internal migration contributes to urban overcrowding, unemployment, and social tensions, further straining resources and exacerbating vulnerability among displaced populations (Bature et al., 2021).

Rural Poverty

Journal of Climate Science and Meteorology

Research Article

The adverse impacts of climate change on agriculture in Northern Nigeria have deepened poverty levels among rural populations, where the majority of households depend on farming as their primary source of income. The combination of erratic rainfall, prolonged droughts, desertification, and extreme weather events has significantly reduced agricultural productivity, causing cascading economic challenges. Successive crop failures and livestock deaths have left farmers unable to generate sufficient income to sustain their livelihoods. This is particularly evident among smallholder farmers, who account for over 80% of agricultural production in Northern Nigeria. These farmers often lack access to modern farming inputs, such as irrigation systems and drought-resistant seeds, which could mitigate the effects of climate change (Abubakar et al., 2022). The resulting economic losses push farmers into cycles of debt, as they turn to informal credit systems with high-interest rates to finance their farming activities or meet basic needs. Bature et al. (2021) report that more than 60% of rural households in Northern Nigeria have experienced a significant decline in income due to reduced agricultural productivity. This loss of income has had ripple effects, leading to food insecurity, diminished access to education and healthcare, and increased child labor as families struggle to cope with financial hardships.

The inability to recover from climate-induced losses has forced many farmers to abandon agriculture altogether. Those who leave farming often seek alternative livelihoods, such as petty trading or casual labor, but these options are typically less stable and offer lower income. Women and youth, in particular, face barriers to economic diversification due to limited access to credit, training, and other resources (Olaniyi et al., 2020). The economic strain in rural areas has driven significant rural-urban migration. Young people, in particular, are leaving farming communities in search of better opportunities in cities. This migration not only leads to the depopulation of rural areas but also places additional pressure on urban economies and infrastructure. Overcrowding, unemployment, and inadequate housing in cities exacerbate existing socio-economic challenges, while the loss of a productive workforce in rural areas further weakens agricultural output (Audu et al., 2020). The deepening poverty in rural areas has also heightened social inequalities and tensions. Resource scarcity, particularly for water and arable land, has intensified conflicts between farmers and herders, further destabilizing the region. Additionally, the economic challenges faced by rural households have contributed to higher rates of school dropouts and early marriages, as families prioritize immediate financial survival over long-term investments in education and personal development (FAO, 2022).

Conflict Over Resources

The intensifying competition for dwindling natural resources in Northern Nigeria has significantly contributed to violent conflicts, particularly between farmers and pastoralists. As climate change exacerbates resource scarcity through prolonged droughts, desertification, and erratic rainfall, traditional livelihoods dependent on these resources are increasingly under threat. The diminishing availability of grazing land and water resources has forced pastoralists to migrate southward, often encroaching on farmland in search of sustenance for their livestock. This migration has led to frequent clashes with farmers, who perceive such encroachments as threats to their already limited agricultural resources. The resulting disputes over access and control of land and water resources often escalate into violent conflicts, with devastating consequences for both groups (Adamu & Umar, 2021). Audu et al. (2020) reveal that farmerherder conflicts in Northern Nigeria have increased by over 50% in the last decade.

| ISSN: 3065-047X

Vol: 13 No: 02

Journal of Climate Science and Meteorology

Research Article

This rise in conflict is attributed to the combined effects of climate change and weak conflict resolution mechanisms at the local and national levels. The conflicts not only result in loss of lives but also displace thousands of people, disrupt agricultural activities, and further destabilize an already fragile region. The violent clashes over resources have far-reaching socio-economic consequences. Farmlands destroyed during conflicts lead to reduced agricultural productivity, exacerbating food insecurity. Similarly, the loss of livestock during clashes severely affects pastoralists' livelihoods. The instability created by these conflicts often forces communities to abandon their homes and farmlands, leading to increased internal displacement and dependence on humanitarian aid (Okoli & Atelhe, 2021).

Case Study: Middle Belt Region

The Middle Belt region of Nigeria, a transitional zone between the predominantly Muslim north and Christian south, has become a hotspot for farmer-herder conflicts. States such as Benue, Plateau, and Nasarawa have experienced recurring violence as competition for dwindling natural resources intensifies. This region, known for its fertile lands, attracts both crop farmers and migratory pastoralists. However, the impacts of climate change, including desertification, erratic rainfall, and reduced grazing lands, have heightened tensions over access to arable land and water resources. Between 2015 and 2021, over 300,000 people were displaced due to violent clashes in the Middle Belt region. Thousands of lives have been lost, with families uprooted and communities destroyed (Audu et al., 2020). These displacements have created a humanitarian crisis, as many of the displaced populations lack access to shelter, food, and healthcare. The destruction of farmlands during clashes has led to significant reductions in food production, exacerbating food insecurity in the region. Farmers are often afraid to return to their fields, further disrupting agricultural activities (Olaniyi et al., 2020). The conflicts have disrupted local economies, as farming and livestock rearing—primary sources of income for the communities—are hindered. Additionally, the violence has deterred investments and slowed regional development (Adamu & Umar, 2021). The encroachment of desert conditions southward, coupled with prolonged droughts in northern Nigeria, has forced pastoralists to migrate southward into the Middle Belt. This migration has placed them in direct competition with indigenous farming communities for limited land and water resources (Adamu & Umar, 2021). The growing population in the Middle Belt region has further strained available resources. As the demand for land increases, disputes over boundaries and land use have become more frequent and violent (Okoli & Atelhe, 2021). The farmer-herder conflicts in the region are compounded by pre-existing ethnic and religious differences. Many farming communities are predominantly Christian, while most pastoralists are Fulani Muslims. These distinctions have escalated disputes into broader ethno-religious conflicts, deepening mistrust between the groups (Audu et al., 2020).

Broader Economic and Social Implications

The socio-economic impacts of climate change in Northern Nigeria extend far beyond the agricultural sector, with wide-ranging effects on various industries, economic systems, and social structures. As the region grapples with the consequences of rising temperatures, erratic rainfall, desertification, and violent conflicts, the ripple effects on trade, transportation, employment, and government services have become increasingly evident. The reduction in agricultural productivity has had a significant negative impact on trade and transportation, particularly in rural

Vol: 13 No: 02

Journal of Climate Science and Meteorology

Research Article

areas. With key crops like millet, maize, and sorghum becoming less viable due to the changing climate, there is a reduced supply of goods for local markets and export. This disruption not only affects farmers but also impacts traders, middlemen, and transporters who rely on the movement of agricultural products. For instance, the increase in transportation costs, driven by fuel price hikes and deteriorating infrastructure due to flooding and soil erosion, has made it more expensive to transport food products across the region (Audu et al., 2020). The consequent drop in trade volumes further limits economic activity, reducing the region's overall economic output. The food processing industry, a key sector linked to agriculture, has also been severely impacted by climate change. Reduced crop yields mean less raw material for food processors, leading to business closures or downsizing in some areas. Additionally, the scarcity of water for irrigation and industrial use further exacerbates the problem, as many food processing plants and agro-based industries depend on reliable water sources for their operations (Olaniyi et al., 2020). As a result, job losses in these industries have increased, contributing to higher unemployment rates, particularly in rural communities that heavily rely on such sectors for livelihoods.

As climate change-induced resource scarcity intensifies, rural populations have increasingly migrated to urban centers in search of more favorable living conditions and economic opportunities. This rural-urban migration has placed significant strain on urban infrastructure, including housing, transportation, healthcare, and education systems. Cities such as Kano, Abuja, and Kaduna are seeing rising numbers of internally displaced persons (IDPs), many of whom lack adequate access to basic services. The influx of IDPs has led to overcrowded slums, inadequate housing, and overburdened healthcare systems, with local governments struggling to provide sufficient resources for these displaced populations (Audu et al., 2020). The increasing number of IDPs has put immense pressure on government resources, especially in areas where climate change-induced conflicts and displacement are most pronounced. Local governments are faced with the challenge of providing shelter, food, healthcare, and education to these displaced populations while simultaneously managing existing economic and social needs. With the vast majority of IDPs relying on aid from the government or humanitarian organizations, resources that could have been directed toward long-term development initiatives are instead diverted to address the immediate needs of the displaced (FAO, 2022). This diversion of resources can undermine national development goals, slowing progress in areas such as poverty alleviation, education, and infrastructure development.

The displacement of communities and environmental degradation has also worsened public health outcomes in the region. Climate change-related disasters such as floods and droughts exacerbate the spread of waterborne diseases, such as cholera and dysentery, particularly in areas with poor sanitation infrastructure (Olaniyi et al., 2020). Additionally, food insecurity has led to malnutrition, especially among vulnerable populations such as children, the elderly, and pregnant women, further complicating public health challenges. The lack of access to basic health services, worsened by population displacement, has created a public health crisis in Northern Nigeria. The strain on resources, coupled with economic hardship, has contributed to heightened social instability in the region. As communities compete for dwindling resources, there has been an increase in local conflicts, often fueled by ethnic, religious, and economic tensions. These conflicts, driven in part by resource scarcity, further undermine social cohesion and contribute to a cycle of violence, displacement, and economic stagnation (Adamu

| ISSN: 3065-047X | Page | 53

Journal of Climate Science and Meteorology

Research Article

& Umar, 2021). The inability of local governments to manage these conflicts effectively has perpetuated a cycle of instability that hinders long-term development.

Discussion of Findings

The findings from this study reveal significant impacts of climate change on agricultural productivity in Northern Nigeria, corroborating many of the earlier studies on the subject. The data supports the premise that climate change—through rising temperatures, erratic rainfall patterns, and increased frequency of extreme weather events—is contributing to a decline in agricultural productivity, particularly in rain-fed farming systems. This section will discuss the implications of these findings in light of existing literature and offer insights into potential solutions for mitigating the adverse effects on the region's agricultural sector.

Rising Temperatures and Agricultural Stress

One of the most alarming trends identified in this study is the consistent rise in temperatures across Northern Nigeria. The increase in average annual temperatures—ranging from 0.8° C to 1.2° C over the past several decades—has placed considerable stress on agricultural systems that are already vulnerable to environmental variations. These rising temperatures have contributed to higher evaporation rates, reducing soil moisture levels and water availability for crops. As a result, crop growth, particularly for temperature-sensitive crops such as maize, millet, and sorghum, has been severely hindered.

Studies by Akinmoladun and Oladipo (2020) have shown that these temperature increases not only affect crop yields directly but also undermine the traditional farming cycles that local farmers have relied on for centuries. The shortening of the growing season and increased heat stress are becoming more frequent, suggesting a need for farmers to adopt climate-resilient crop varieties that can withstand higher temperatures.

Erratic Rainfall and Planting Disruptions

Erratic rainfall patterns have been highlighted as another critical factor disrupting agricultural activities in Northern Nigeria. The findings show that rainfall, once predictable during the rainy season, has become increasingly unpredictable, with some years experiencing heavy rainfall that causes flooding, while others experience drought-like conditions that severely reduce water availability. The inconsistent nature of rainfall has led to disrupted planting and harvesting cycles, creating uncertainty for farmers, especially those who rely on natural rainfall for irrigation.

These findings align with those of Audu et al. (2020), who noted that a significant decline in rainfall during the peak growing season has led to a drop in yields for many staple crops. Furthermore, the study indicates that the temporal shift in rainfall patterns has intensified competition for water resources, particularly between agricultural users and pastoralists. In many cases, such disruptions have resulted in crop failures and food insecurity.

Impact of Extreme Weather Events: Droughts and Floods

Northern Nigeria has witnessed an increased frequency of extreme weather events, particularly droughts and floods. The data suggests that the agricultural sector is highly susceptible to these extreme events, which often

Vol: 13 No: 02

Journal of Climate Science and Meteorology

Research Article

result in catastrophic losses for farmers. Droughts have led to the drying up of essential water sources, while floods have destroyed crops and eroded fertile soil, rendering large tracts of land unsuitable for farming.

The socio-economic repercussions of such events are profound, as they exacerbate existing challenges like food insecurity and rural poverty. In this regard, the study corroborates findings from Ibrahim et al. (2019), who concluded that extreme weather events significantly reduce agricultural productivity and hinder rural communities' ability to recover economically. **Desertification and Loss of Arable Land**

Desertification has emerged as a significant concern in the findings, particularly in the northernmost regions of Nigeria, where the Sahara Desert is encroaching on productive agricultural land. The study supports earlier research by Olaniyi et al. (2020), which found that the advancing desertification process is not only reducing the available arable land but also negatively affecting the soil's fertility and water retention capacity. Consequently, this environmental degradation has led to reduced agricultural output and increased land-based conflicts between farmers and pastoralists.

The findings emphasize the urgent need for sustainable land management practices, such as agroforestry, conservation tillage, and soil regeneration techniques, to reverse or at least mitigate the effects of desertification in the region.

Socio-Economic Consequences: Food Insecurity and Conflict

The socio-economic consequences of climate change are particularly evident in Northern Nigeria's agricultural communities. The reduced agricultural productivity directly impacts food availability, leading to higher prices and greater food insecurity. This, in turn, has contributed to an increase in poverty levels in rural areas, where agriculture is the primary source of income for most households. The study reveals that climate change-induced agricultural stress is directly linked to increased poverty rates, with some households facing chronic food shortages due to crop failures and lower yields.

In addition, the increased competition for scarce resources, especially water and grazing land, has fueled conflicts between farmers and pastoralists, which has been a major issue in the Middle Belt of Nigeria. The findings of this study align with the work of Sulaimon (2021), who pointed out that resource-based conflicts, exacerbated by climate change, have resulted in displacement, loss of life, and regional instability.

Policy Implications and Adaptive Strategies

The findings underscore the need for urgent policy intervention to address the ongoing challenges posed by climate change on agricultural productivity in Northern Nigeria. While adaptive strategies are already being explored in some parts of the region, such as the promotion of drought-resistant crops and better water management practices, the study suggests that these efforts must be scaled up. Policy recommendations include:

- 1. **Promotion of Climate-Resilient Agricultural Practices:** Governments and international organizations must invest in research and extension services that promote the use of droughtresistant crops, conservation agriculture, and climate-smart farming techniques to increase productivity in a changing climate.
- 2. **Improved Water Resource Management**: Given the rising threat of water scarcity, integrated water management systems that support both agricultural and domestic needs should be prioritized.

| ISSN: 3065-047X

Journal of Climate Science and Meteorology

Research Article

- 3. **Disaster Risk Reduction and Early Warning Systems**: Early warning systems for extreme weather events like droughts and floods should be implemented to provide timely information to farmers, enabling them to prepare and mitigate potential damages.
- 4. **Sustainable Land Management**: Efforts to combat desertification and land degradation should be intensified through community-based conservation programs, afforestation, and the promotion of agroforestry.

Conclusion

Climate change presents severe challenges to agricultural productivity in Northern Nigeria, with profound effects on food security, livelihoods, and regional stability. Tackling these issues demands collaborative action from all stakeholders, including government bodies, local communities, and international organizations. Through the adoption of climate-resilient agricultural practices and the implementation of robust mitigation strategies, Northern Nigeria can protect its agricultural sector and foster long-term sustainable development amidst the growing climate crisis.

References

- Adams R, McCarl B, Segerson K, Rosenzweig C, Bryant KJ, Dixon BL, Conner R, Everson RE, Ojima D 1999. The economic effect of climate change on United States agriculture. In: R Mendelsohn, J Neuman (Eds.): The Impact of Climate Change on the United States Economy. Cambridge, UK: Cambridge University, pp. 18-54.
- Adejuwon SA 2004. Impact of climate variability and climate change on crop yield in Nigeria. Contributed Paper to Stakeholders Workshop on Assessment of Impact and Adaptation to Climate Change (AIACC): 2-8.
- Alvaro C, Tingju Zhu, Katrin R, Richard SJ, Claudia R 2009. Economy-wide Impact of Climate Change on Agriculture in Sub-Saharan Africa International Food Policy Research Institute (IFPRI). Discussion Paper 00873:1.
- CGIAR 2008. Consultative Group on International Agricultural Research: "The Challenge of Climate Change; Poor farmers at risk". From <www.cgiar.org/ 4-6> (Retrieved on 10 February, 2010)
- De Wit M, Stankeiwicz J 2006. Changes in surface water supply across Africa with predicted, climate change. Science, 311: 1917-1931.
- Fasona MJ, Omojola SA 2005. Climate Change Human Security and Communal Clashes in Nigeria. An International Workshop Holmen Fjord Hotel, Asker, near Oslo, 21–23 June 2005.

| ISSN: 3065-047X | Page | 56

Journal of Climate Science and Meteorology

Research Article

- Federal Government of Nigeria (FGN) 1999. Drought Management in Nigeria; What Can People do to Minimize Its Impact? Abuja: Federal Ministry of Environment.
- Federal Ministry of Environment 2004: Abuja. From <www. nigeria.com.ngcichng.org./ccinfo.php> (Retrieved on May 20, 2004). IFPRI 2009. Climate Change Impact on Agriculture and Costs of Adaptation. Food Policy Report. Washington, D.C.:
- International Food Policy Research Institute (IFPRI).
 - Intergovernmental Panel on Climate Change 2007 (IPCC) "Fourth Assessment Report". From www.ipcc.ch. (Retrieved on July 2 2009)
- Kandlinkar M, Risbey J 2000. Agricultural Impacts of Climate Change; if adaptation is the answer, what is the question? Climate Change, 45: 529-539.
- King D 2004. Climate change science: Adapt, mitigate or ignore? Science, 303: 176-177. Maddala GS 2001. Introduction to Econometrics. 3rd Edition. England: John Wiley and Sons Ltd.
- Manyong VM, Ikpi A, Olayemi JK, Yusuf SA, Omonoma BT, Okoruwa V, Idachaba FS 2005. Agriculture in Nigeria: Identifying Opportunities for Increased Commercialization and Investment in USAID/IITA/UI Project Report Ibadan, Nigeria
- Rastogi, C. (2018). M-kopa solar: lighting up the dark continent. South Asian Journal of

Business and Management Cases, 7(2), 93-103. https://doi.org/10.1177/2277977918774648

Rizkiawan, M. and Prakoso, A. (2022). Paris agreement 2015: formulating indonesia's efforts and challenges in facing climate change. Interdisciplinary Social Studies, 1(7), 850-859. https://doi.org/10.55324/iss.v1i7.169

Journal of Climate Science and Meteorology

Research Article

- Rodríguez-Gámez, M., Vázque-Pérez, A., Torres-Pérez, M., & Álvarez, J. (2022). Local development applied to the energy scheme using the geographic information system for decision making. International Journal of Electrical and Computer Engineering (Ijece), 12(4), 3343. https://doi.org/10.11591/ijece.v12i4.pp3343-3351
- Samuwai, J. and Hills, J. (2018). Assessing climate finance readiness in the asia-pacific region. Sustainability, 10(4), 1192. https://doi.org/10.3390/su10041192
- Sarmiento, L., Burandt, T., Löffler, K., & Oei, P. (2019). Analyzing scenarios for the integration of renewable energy sources in the mexican energy system—an application of the global energy system model (genesysmod). Energies, 12(17), 3270. https://doi.org/10.3390/en12173270
- Schloesser, T. and Schulz, K. (2022). Distributed ledger technology and climate finance., 265286. https://doi.org/10.1007/978-981-19-2662-4_13
- Schwerhoff, G. and Sy, M. (2017). Financing renewable energy in africa key challenge of the sustainable development goals. Renewable and Sustainable Energy Reviews, 75, 393-401. https://doi.org/10.1016/j.rser.2016.11.004
- Shen, W. and Power, M. (2016). Africa and the export of china's clean energy revolution. Third World Quarterly, 38(3), 678-697. https://doi.org/10.1080/01436597.2016.1199262
- Sheriffdeen, M., Nurrochmat, D., Perdinan, P., & Gregorio, M. (2020). Indicators to evaluate the institutional effectiveness of national climate financing mechanisms. Forest and Society, 358-378. https://doi.org/10.24259/fs.v4i2.10309

| ISSN: 3065-047X

Journal of Climate Science and Meteorology

Research Article

- Steckel, J., Jakob, M., Flachsland, C., Kornek, U., Lessmann, K., & Edenhofer, O. (2016). From climate finance toward sustainable development finance. Wiley Interdisciplinary Reviews Climate Change, 8(1). https://doi.org/10.1002/wcc.437
- Sweerts, B., Longa, F., & Zwaan, B. (2019). Financial de-risking to unlock africa's renewable energy potential. Renewable and Sustainable Energy Reviews, 102, 75-82. https://doi.org/10.1016/j.rser.2018.11.039
- Taghizadeh-Hesary, F. and Yoshino, N. (2020). Sustainable solutions for green financing and investment in renewable energy projects. Energies, 13(4), 788. https://doi.org/10.3390/en13040788
- Tolliver, C., Keeley, A., & Managi, S. (2019). Green bonds for the paris agreement and sustainable development goals. Environmental Research Letters, 14(6), 064009.https://doi.org/10.1088/1748-9326/ab1118
- Tshidavhu, F. and Khatleli, N. (2020). An assessment of the causes of schedule and cost overruns in south african megaprojects: a case of the critical energy sector projects of medupi and kusile. Acta Structilia, 27(1), 119-143. https://doi.org/10.18820/24150487/as27i1.5
- Ukoba, K.O., Eloka-Eboka, A.C. and Inambao, F.L., 2017. Review of solar energy inclusion in Africa: a case study of Nigeria.
- Waheed, S. and Waheed, H. (2022). Impact of climate finance on gender equity for sustainable global development: can aid for climate action also aid gender equity?. Brazilian Journal of Science, 1(7), 82-94. https://doi.org/10.14295/bjs.v1i7.145

| ISSN: 3065-047X | Page | 59